



LWP Engineering s.r.l.

PI e CF 02538780343 - Via Berlinguer, 6 - 43038 Sala Baganza (Parma)

Tel e Fax: +39 0521/834833

E-mail : info@lwpengineering.com

www.lwpengineering.com

FILO ARMONICO SPRING SYSTEM



FILO ARMONICO **INOX AISI 302** e **C/85 - C/72**



HARMONIC STEEL WIRE **AISI 302** and **C/85 – C/72**



FIL D'ACIER POUR RESSORTS **INOX 302** et **C/85 – C/72**



LWP Engineering s.r.l.

PI e CF 02538780343 - Via Berlinguer, 6 - 43038 Sala Baganza (Parma)

Tel e Fax: +39 0521/834833

E-mail : info@lwpengineering.com

www.lwpengineering.com



FILO ARMONICO INOX AISI 302



HARMONIC STAINLESS STEEL WIRE AISI 302



FIL D'ACIER PUOR RESSORTS INOX AISI 302



Diametro Filo da 0,20 a 2,00 mm in bobine da 500 grammi

Wire Diameter from 0,20 to 2,00 mm in 500 gram reels

Diamètre du fil de 0,20 à 2,00 mm en bobines de 500 grammes

CODICE	Ø FILO	PESO (gr)	METRI (m)	MATERIALE
CODE	THICKNESS	WIDTH	LENGHT	MATERIAL
CODE	EPAISSEUR	LARGEUR	LONGEUR	MATERIEL
FI 020 500	0,20	500	1990	INOX AISI 302
FI 030 500	0,30	500	885	INOX AISI 302
FI 040 500	0,40	500	498	INOX AISI 302
FI 050 500	0,50	500	318	INOX AISI 302
FI 060 500	0,60	500	221	INOX AISI 302
FI 070 500	0,70	500	162	INOX AISI 302
FI 080 500	0,80	500	124	INOX AISI 302
FI 090 500	0,90	500	98	INOX AISI 302
FI 100 500	1	500	80	INOX AISI 302
FI 120 500	1,20	500	55	INOX AISI 302
FI 130 500	1,30	500	47	INOX AISI 302
FI 140 500	1,40	500	41	INOX AISI 302
FI 150 500	1,50	500	35	INOX AISI 302
FI 160 500	1,60	500	31	INOX AISI 302
FI 180 500	1,80	500	25	INOX AISI 302
FI 200 500	2	500	20	INOX AISI 302

*** Disponibili a richiesta anche altri diametri.**


FILO ARMONICO INOX AISI 302 IN BARRE

HARMONIC STAINLESS STEEL WIRE AISI 302 IN BARS

FIL D'ACIER POUR RESSORTS INOX AISI 302 EN BARRES

Diametro Filo da 0,80 a 8,00 mm in barre
Wire Diameter from 0,80 to 8,00 mm in bars
Diamètre du fil de 0,80 à 8,00 mm en barres

 CODICE	Ø FILO	PESO (gr)	METRI (m)	MATERIALE
 CODE	THICKNESS	WIDTH	LENGHT	MATERIAL
 CODE	EPAISSEUR	LARGEUR	LONGEUR	MATERIEL
FI 080 1000	0,80	-	1	INOX AISI 302
FI 100 1500	1	-	1,5	INOX AISI 302
FI 120 1500	1,20	-	1,5	INOX AISI 302
FI 150 2000	1,50	-	2	INOX AISI 302
FI 170 1000	1,70	-	1	INOX AISI 302
FI 170 1500	1,70	-	1,5	INOX AISI 302
FI 180 2000	1,80	-	2	INOX AISI 302
FI 200 2000	2	-	2	INOX AISI 302
FI 250 2000	2,50	-	2	INOX AISI 302
FI 300 2000	3	-	2	INOX AISI 302
FI 350 3000	3,50	-	3	INOX AISI 302
FI 400 2000	4	-	2	INOX AISI 302
FI 316L 450 3000	4,50	-	3	INOX AISI 316 L
FI 316L 500 3000	5	-	3	INOX AISI 316 L
FI 316L 600 3000	6	-	3	INOX AISI 316 L
FI 700 3000	7	-	3	INOX AISI 302
FI 800 3000	8	-	3	INOX AISI 302



LWP Engineering s.r.l.

PI e CF 02538780343 - Via Berlinguer, 6 - 43038 Sala Baganza (Parma)

Tel e Fax: +39 0521/834833

E-mail : info@lwpengineering.com

www.lwpengineering.com



FILO ARMONICO C/85



HARMONIC STEEL WIRE C/85



FIL D'ACIER POUR RESSORTS C/85



Diametro Filo da 0,20 a 2,00 mm in bobine da 500 grammi.

Wire Diameter from 0,20 to 2,00 mm in 500 gram reels.

Diamètre du fil de 0,20 à 2,00 mm en bobines de 500 grammes.

 CODICE	Ø FILO	PESO (gr)	METRI (m)	MATERIALE
 CODE	THICKNESS	WIDTH	LENGHT	MATERIAL
 CODE	EPAISSEUR	LARGEUR	LONGEUR	MATERIEL
F 020 500	0,20	500	1990	C/85
F 030 500	0,30	500	885	C/85
F 040 500	0,40	500	498	C/85
F 050 500	0,50	500	318	C/85
F 060 500	0,60	500	221	C/85
F 070 500	0,70	500	162	C/85
F 080 500	0,80	500	124	C/85
F 090 500	0,90	500	98	C/85
F 100 500	1	500	80	C/85
F 120 500	1,20	500	55	C/85
F 130 500	1,30	500	47	C/85
F 140 500	1,40	500	41	C/85
F 150 500	1,50	500	35	C/85
F 160 500	1,60	500	31	C/85
F 180 500	1,80	500	25	C/85
F 200 500	2	500	20	C/85

*** Disponibili a richiesta anche Bobine da 100 grammi.**



LWP Engineering s.r.l.

PI e CF 02538780343 - Via Berlinguer, 6 - 43038 Sala Baganza (Parma)

Tel e Fax: +39 0521/834833

E-mail : info@lwpengineering.com

www.lwpengineering.com



FILO ARMONICO C/72



HARMONIC STEEL WIRE C/72



FIL D'ACIER POUR RESSORTS C/72



Diametro Filo da 0,20 a 2,00 mm in bobine da 10 metri.

Wire Diameter from 0,20 to 2,00 mm in 10 meter reels.

Diamètre du fil de 0,20 à 2,00 mm en bobines de 10 mètres.

 CODICE	Ø FILO	PESO (gr)	METRI (m)	MATERIALE
 CODE	THICKNESS	WIDTH	LENGHT	MATERIAL
 CODE	EPAISSEUR	LARGEUR	LONGEUR	MATERIEL
F 020 010	0,20	2,51	10	C/72
F 030 010	0,30	5,65	10	C/72
F 040 010	0,40	10	10	C/72
F 050 010	0,50	16	10	C/72
F 060 010	0,60	23	10	C/72
F 070 010	0,70	29	10	C/72
F 080 010	0,80	40	10	C/72
F 090 010	0,90	51	10	C/72
F 100 010	1	62,50	10	C/72
F 120 010	1,20	90	10	C/72
F 130 010	1,30	106	10	C/72
F 140 010	1,40	122	10	C/72
F 150 010	1,50	143	10	C/72
F 160 010	1,60	161	10	C/72
F 180 010	1,80	200	10	C/72
F 200 010	2	250	10	C/72



LWP Engineering s.r.l.

PI e CF 02538780343 - Via Berlinguer, 6 - 43038 Sala Baganza (Parma)

Tel e Fax: +39 0521/834833

E-mail : info@lwpengineering.com

www.lwpengineering.com

FILO ARMONICO INOX AISI 316

SPRING SYSTEM



FILO ARMONICO **INOX AISI 316**



HARMONIC STAINLESS STEEL WIRE **AISI 316**



FIL D'ACIER POUR RESSORTS **INOX 316**



LWP Engineering s.r.l.

PI e CF 02538780343 - Via Berlinguer, 6 - 43038 Sala Baganza (Parma)

Tel e Fax: +39 0521/834833

E-mail : info@lwpengineering.com

www.lwpengineering.com



FILO ARMONICO INOX AISI 316



HARMONIC STAINLESS STEEL WIRE AISI 316



FIL D'ACIER PUOR RESSORTS INOX AISI 316



Diametro Filo da 0,20 a 2,00 mm in bobine da 500 grammi

Wire Diameter from 0,20 to 2,00 mm in 500 gram reels

Diamètre du fil de 0,20 à 2,00 mm en bobines de 500 grammes

CODICE	Ø FILO	PESO (gr)	METRI (m)	MATERIALE
CODE	THICKNESS	WIDTH	LENGHT	MATERIAL
CODE	EPAISSEUR	LARGEUR	LONGEUR	MATERIEL
FI 316 020 500	0,20	500	1990	INOX AISI 316
FI 316 030 500	0,30	500	885	INOX AISI 316
FI 316 040 500	0,40	500	498	INOX AISI 316
FI 316 050 500	0,50	500	318	INOX AISI 316
FI 316 060 500	0,60	500	221	INOX AISI 316
FI 316 070 500	0,70	500	162	INOX AISI 316
FI 316 080 500	0,80	500	124	INOX AISI 316
FI 316 090 500	0,90	500	98	INOX AISI 316
FI 316L 100 500	1	500	80	INOX AISI 316 L
FI 316 120 500	1,20	500	55	INOX AISI 316
FI 316 130 500	1,30	500	47	INOX AISI 316
FI 316 140 500	1,40	500	41	INOX AISI 316
FI 316L 150 500	1,50	500	35	INOX AISI 316 L
FI 316 160 500	1,60	500	31	INOX AISI 316
FI 316 180 500	1,80	500	25	INOX AISI 316
FI 316L 200 500	2	500	20	INOX AISI 316 L